

Follow-Up After Emergency Department Visit for Substance Use (FUA)

New for 2024

- No applicable changes to this measure



Yes!

Supplemental
Data Accepted

Definition

The percentage of ED visits for members ages 13 and older with a principal diagnosis of substance use disorder (SUD) or any drug overdose diagnosis and who had a follow-up visit.

Two rates are reported:

1. The percentage of ED visits for which the member received follow-up for SUD within the **7 days** after the visit (8 days total)
2. The percentage of visits or discharges for which the member received follow-up for SUD within the **30 days** after the visit (31 days total)

Plan(s) Affected	Quality Program(s) Affected	Collection and Reporting Method
<ul style="list-style-type: none"> • Commercial • Medicaid • Medicare 	<ul style="list-style-type: none"> • NCQA Accreditation • NCQA Health Plan Ratings • ACO Quality Gate 	<p>Administrative</p> <ul style="list-style-type: none"> • Claim/Encounter Data

Follow-Up After Emergency Department Visit for Substance Use (FUA)

Codes

The following codes can be used to close HEDIS numerator gaps in care; they are not intended to be a directive of your billing practice.

Any of the following scenarios will meet criteria for the measure when the above diagnoses are present.

Scenario 1: Outpatient Visit With Mental Health Provider or With Diagnosis of Substance Use Disorder or Drug Overdose

CPT®/CPT II	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255
--------------------	--

AND

Place of Service Code

Code	Location		
03	School	17	Walk-in retail health clinic
05	Indian Health Service free-standing facility	18	Place of employment – worksite
07	Tribal 638 free-standing facility	19	Off-campus outpatient hospital
09	Prison/Correctional facility	20	Urgent care facility
11	Office	22	On-campus outpatient hospital
12	Home	33	Custodial care facility
13	Assisted living facility	49	Independent clinic
14	Group home	50	Federally qualified health center
15	Mobile unit	71	Public health clinic
16	Temporary lodging	72	Rural health clinic

(Codes continued)

Follow-Up After Emergency Department Visit for Substance Use (FUA)

Codes

The following codes can be used to close HEDIS numerator gaps in care; they are not intended to be a directive of your billing practice.

Scenario 2: Behavioral Health Visit With a Mental Health Provider or With a Diagnosis of Substance Use Disorder or Drug Overdose

CPT®/CPT II	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510
HCPCS	G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015
SNOMED	77406008, 84251009, 185463005, 185464004, 185465003, 281036007, 391223001, 391224007, 391225008, 391233009, 391237005, 391239008, 391242002, 391257009, 391260002, 391261003, 439740005, 3391000175108, 444971000124105
UBREV	0510, 0513, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0900, 0902, 0903, 0904, 0911, 0914, 0915, 0916, 0917, 0919, 0982, 0983

Scenario 3: Intensive Outpatient Visit or Partial Hospitalization With Appropriate Place of Service Code With a Mental Health Provider or With a Diagnosis of Substance Use Disorder or Drug Overdose

Visit Setting Unspecified

CPT®/CPT II	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255
--------------------	--

AND

Place of Service Code

Code	Location
52	Psychiatric facility – partial hospitalization

(Codes continued)

Follow-Up After Emergency Department Visit for Substance Use (FUA)

Codes

The following codes can be used to close HEDIS numerator gaps in care; they are not intended to be a directive of your billing practice.

Scenario 4: Intensive Outpatient or Partial Hospitalization With a Mental Health Provider or With a Diagnosis of Substance Use Disorder or Drug Overdose

Partial Hospitalization/Intensive Outpatient Visits

HCPCS	G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485
SNOMED	7133001, 305345009, 305346005, 305347001, 391038005, 391042008, 391043003, 391046006, 391047002, 391048007, 391054008, 391055009, 391056005, 391133003, 391150001, 391151002, 391152009, 391153004, 391170007, 391185001, 391186000, 391187009, 391188004, 391191004, 391192006, 391194007, 391195008, 391207001, 391208006, 391209003, 391210008, 391211007, 391228005, 391229002, 391232004, 391252003, 391254002, 391255001, 391256000
UBREV	0905, 0907, 0912, 0913

Scenario 5: Opioid Treatment Service With a Diagnosis of Substance Use Disorder or Drug Overdose

Weekly Non-Drug Treatment

HCPCS	G2071, G2074, G2075, G2076, G2077, G2080
--------------	--

Monthly Office-Based Treatment

HCPCS	G2086, G2087
--------------	--------------

Scenario 6: Peer Support Service With a Diagnosis of Substance Use Disorder or Drug Overdose

HCPCS	G0177, H0024, H0025, H0038, H0039, H0040, H0046, H2014, H2024, S9445, T1012, T1016
--------------	--

Scenario 7: Telehealth Visit With a Mental Health Provider or With a Diagnosis of Substance Use Disorder or Drug Overdose

Visit Setting Unspecified

CPT®/CPT II	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255
--------------------	--

AND

Place of Service Code

Code	Location
02	Telehealth
10	Telehealth

(Codes continued)

Follow-Up After Emergency Department Visit for Substance Use (FUA)

Codes

The following codes can be used to close HEDIS numerator gaps in care; they are not intended to be a directive of your billing practice.

Scenario 8: Community Mental Health Center Visit With Appropriate Place of Service Code With a Mental Health Provider or With a Diagnosis of Substance Use Disorder or Drug Overdose

Visit Setting Unspecified

CPT®/CPT II	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255
--------------------	--

AND

Place of Service Code

Code	Location
53	Community mental health center

Scenario 9: Non-Residential Substance Abuse Treatment Facility Visit With Appropriate Place of Service Code With a Mental Health Provider or With a Diagnosis of Substance Use Disorder or Drug Overdose

CPT®/CPT II	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255
--------------------	--

AND

Place of Service Code

Code	Location
57	Non-residential substance abuse treatment facility
58	Non-residential opioid treatment facility

(Codes continued)

Follow-Up After Emergency Department Visit for Substance Use (FUA)

Codes

The following codes can be used to close HEDIS numerator gaps in care; they are not intended to be a directive of your billing practice.

Scenario 10: Substance Use Disorder Service or Substance Use

CPT®/CPT II	99408, 99409
HCPCS	G0396, G0397, G0443, H0001, H0005, H0007, H0015, H0016, H0022, H0047, H0050, H2035, H2036, T1006, T1012
ICD-10 Procedure	Z71.41, Z71.51
SNOMED	40823001, 49474007, 58473000, 64792006, 89732002, 171208001, 314077000, 370854007, 391281002, 410223002, 410229003, 414283008, 414501008, 415662004, 439320000, 703257008, 713106006, 713107002, 713127001, 713132000, 713137006, 428211000124100
UBREV	0906, 0944, 0945

Scenario 11: Behavioral Health Screening or Assessment for Substance Use Disorder or Mental Health Disorders

Behavioral Health Assessment

CPT®/CPT II	99408, 99409
HCPCS	G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049
SNOMED	40823001, 49474007, 58473000, 64792006, 89732002, 171208001, 314077000, 370854007, 391281002, 410223002, 410229003, 414283008, 414501008, 415662004, 439320000, 703257008, 713106006, 713107002, 713127001, 713132000, 713137006, 428211000124100

Scenario 12: Telephone Visit With a Mental Health Provider or With a Diagnosis of Substance Use Disorder or Drug Overdose

Telephone Visits

CPT®/CPT II	98966, 98967, 98968, 99441, 99442, 99443
SNOMED	185317003, 314849005, 386472008, 386473003, 401267002

Scenario 13: E-Visit or Virtual Check-In with a Mental Health Provider or with a Diagnosis of Substance Use Disorder or Drug Overdose

Online Assessment (e-visit/virtual check-in)

CPT®/CPT II	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99444, 99457, 99458
HCPCS	G0071, G2010, G2012, G2250 G2251 G2252

(Codes continued)

Follow-Up After Emergency Department Visit for Substance Use (FUA)

Codes

The following codes can be used to close HEDIS numerator gaps in care; they are not intended to be a directive of your billing practice.

Scenario 14: A Pharmacotherapy Dispensing Event or Medication Treatment for Substance Use Disorder

Medication Treatment	
HCPSCS	G2069, G2070, G2072, G2073, H0020, H0033, J0570, J0571, J0572, J0573, J0574, J0575, J2315, Q9991, Q9992, S0109
SNOMED	310653000

Opioid Treatment Service Weekly Billing	
HCPSCS	G2067, G2068, G2069, G2070, G2072, G2073

Medications

One or more medication dispensing events for alcohol abuse or dependence:

Drug Category	Medications
Aldehyde dehydrogenase inhibitor	<ul style="list-style-type: none"> Disulfiram (oral)
Antagonist	<ul style="list-style-type: none"> Naltrexone (oral and injectable)
Other	<ul style="list-style-type: none"> Acamprosate (oral; delayed-release tablet)

One or more medication dispensing events for opioid abuse or dependence:

Drug Category	Medications
Antagonist	<ul style="list-style-type: none"> Naltrexone (oral and injectable)
Partial agonist	<ul style="list-style-type: none"> Buprenorphine (sublingual tablet, injection, implant)* Buprenorphine/naloxone (sublingual tablet, buccal film, sublingual film)

Required Exclusion(s)

Exclusion	Timeframe
<ul style="list-style-type: none"> Members in hospice or using hospice services Members who died 	Any time during the measurement year

Follow-Up After Emergency Department Visit for Substance Use (FUA)



Important Notes

- Visits that result in an inpatient stay are not included
- Telehealth visits are acceptable to address the care opportunity

Tips and Best Practices to Help Close This Care Opportunity

This measure focuses on follow-up treatment with a primary care provider or a substance use specialist.

- See patients within 7 days and bill with a substance use diagnosis.
- If a situation arises where a patient is unable to be seen within 7 days, then they need to have an appointment within 30 days of discharge.
- Encourage the use of telehealth appointments when appropriate.
- The Mental Health Services Administration supports following the Screening, Brief Intervention and Referral to Treatment (SBIRT) guideline¹ at [samhsa.gov/sbirt](https://www.samhsa.gov/sbirt).
- If you are not going to treat the patient yourself, you will need to refer your patient to a substance use specialist. To request coordination of care, please call the number on the back of the patient's health plan ID card or search [liveandworkwell.com](https://www.liveandworkwell.com).
- Sharing member demographic data is critical to understanding the cultural, linguistic and social needs of those we serve and decreasing health inequities across the care continuum. This data can include, but is not limited to, race, ethnicity, language, sexual orientation, gender identity, pronouns, sex assigned at birth and disability status.
 - As part of UnitedHealthcare's clinical you to include this demographic data with any structured data file or CCD. Your information is confidential. UnitedHealthcare will keep personally identifiable information confidential and consent.

• Available Resources:

- Alcohol and Drug Use Screening Tools: [providerexpress.com](https://www.providerexpress.com) > Clinical Resources > Behavioral Health Toolkits for Medical Providers
- Patient Education: [liveandworkwell.com](https://www.liveandworkwell.com) > Browse as a guest with company access code > Use access code "clinician" > Explore and Learn
- SUD can be accepted as supplemental data. Please contact your UnitedHealthcare representative to discuss clinical data exchange opportunities.

¹<https://www.integration.samhsa.gov/clinical-practice/sbirt/referral-to-treatment>