New for 2025

Added

Organ and bone marrow transplants are now required exclusions

Updated

 CIS will now only be referred to as CIS-E and will be an electronic measure only



Definition

Percentage of children age 2 who had 4 doses of diphtheria, tetanus and a cellular pertussis (DTaP) vaccine; 1 hepatitis A (Hep A) vaccine; 3 doses of hepatitis B (Hep B) vaccine; 3 doses of haemophilus influenza type B (HiB) vaccine; 2 doses of influenza (flu) vaccine; 3 doses of polio (IPV) vaccine; 1 measles, mumps and rubella (MMR) vaccine; 4 doses of pneumococcal conjugate (PCV) vaccine; 2 or 3 doses of rotavirus (RV) vaccine; and 1 chicken pox (VZV) vaccine on or before their second birthday.

Plans(s) affected	Quality program(s) affected	Collection and reporting method
CommercialExchange/MarketplaceMedicaid	 CMS Quality Rating System (Combination 10) NCQA Health Plan Ratings (Combination 10) 	Electronic data only

Codes

The following codes can be used to close HEDIS numerator gaps in care; they are not intended to be a directive of your billing practice.

DTaP vaccine

Number of doses: 4 Special circumstances

- Do not count dose administered from birth through 42 days
- If applicable, anaphylaxis or encephalitis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using hybrid specifications

CPT®/CPT II	90697, 90698, 90700, 90723
CVX codes	20, 50, 106, 107, 110, 120, 146, 198
Anaphylaxis due to the diphtheria, tetanus or pertussis vaccine	
SNOMED	428281000124107, 428291000124105



Encephalitis due to the diphtheria, tetanus or pertussis vaccine

SNOMED 192710009, 192711008, 192712001

Hep A vaccine or history of hepatitis A illness

Number of doses: 1 Special circumstances

- Must be administered on or between a child's first and second birthdays
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using hybrid specifications

CPT®/CPT II	90633
CVX codes	31, 83, 85
SNOMED	170378007, 170379004, 170380001, 170381002, 170434002, 170435001, 170436000, 170437009, 243789007, 312868009, 314177003, 314178008, 314179000, 394691002, 871752004, 871753009, 871754003, 571511000119102

History of Hepatitis A

ICD-10 Diagnosis	B15.0, B15.9
SNOMED	16060001, 18917003, 25102003, 40468003, 43634002, 79031007, 111879004, 165997004, 206373002, 278971009, 310875001, 424758008 428030001, 105801000119103

Anaphylaxis due to the hepatitis A vaccine

SNOMED 471311000124103

Hep B vaccine, history of hepatitis B illness

Number of doses: 3 Special circumstances

- One of the 3 can be the newborn hepatitis B vaccine given at hospital on date of birth or 7 days after (see code below)
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using hybrid specifications

CPT®/CPT II	90697, 90723, 90740, 90744, 90747, 90748
CVX codes	08, 44, 45, 51, 110, 146, 198
HCPCS	G0010



Hep B vaccine, history of hepatitis B illness

Number of doses: 3 Special circumstances

- One of the 3 can be the newborn hepatitis B vaccine given at hospital on date of birth or 7 days after (see code below)
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using hybrid specifications

SNOMED

16584000, 170370000, 170371001, 170372008, 170373003, 170374009, 170375005, 170434002, 170435001, 170436000, 170437009, 312868009, 396456003, 416923003, 770608009, 770616000, 770617009, 770618004, 786846001, 1162640003, 572561000119108

Newborn Hep B

Number of doses: 1 of 3 eligible

ICD-10 Procedure 3E0234Z

History of hepatitis B

•	
ICD-10 Diagnosis	B16.0, B16.1, B16.2, B16.9, B17.0, B18.0, B18.1, B19.10, B19.11
SNOMED	153091000119109, 551621000124109, 1116000, 13265006, 26206000, 38662009,
	50167007, 53425008, 60498001, 61977001, 66071002, 76795007, 111891008,
	165806002, 186624004 186626002, 186639003, 235864009, 235865005,
	235869004, 235871004, 271511000, 313234004, 406117000, 424099008,
	424340000, 442134007, 442374005, 446698005, 838380002, 1230342001

Anaphylaxis due to the hepatitis B vaccine

SNOMED 1428321000124101

HiB vaccine

Number of doses: 3
Special circumstances

- Do not count dose administered from birth through 42 days
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using hybrid specifications

CPT®/CPT II	90644, 90647, 90648, 90697, 90698, 90748
CVX codes	17, 46, 47, 48, 49, 50, 51, 120, 146, 148, 198



Anaphylaxis due to the haemophilus B vaccine

SNOMED 433621000124101

Influenza vaccine Number of doses: 2 Special circumstances

- Do not count dose administered prior to 180 days after birth
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using the hybrid specifications

CPT®/CPT II	90655, 90657, 90661, 90673, 90674, 90685, 90686, 90687, 90688, 90689, 90756
CVX codes	88, 140, 141, 150, 153, 155, 158, 161, 171, 186
SNOMED	86198006

Anaphylaxis due to the influenza vaccine on or before the child's second birthday

SNOMED 471361000124100

Live attenuated influenza virus

Number of doses: 1 Special circumstances

- Must be administered on the second birthday
- Only 1 of the 2 required vaccinations can be LAIV

CPT®/CPT II	90660, 90672
CVX codes	111, 149
SNOMED	787016008

IPV vaccine

Number of doses: 3 Special circumstances

- Do not count dose administered from birth through 42 days
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using the hybrid specifications

CPT®/CPT II	90697, 90698, 90713, 90723
CVX codes	10, 89, 110, 120, 146



IPV Vaccine

Number of doses: 3 Special Circumstances

- Do not count dose administered from birth through 42 days.
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using the hybrid specifications.

SNOMED

310306005, 310307001, 310308006, 312869001, 312870000, 313383003, 390865008, 396456003, 412762002, 412763007, 412764001, 414001002, 414259000, 414619005, 414620004, 415507003, 415712004, 416144004, 416591003, 417211006, 417384007, 417615007, 866186002, 866227002, 868266002, 868267006, 868268001, 868273007, 868274001, 868276004, 868277008, 870670004, 572561000119108, 16290681000119103

Anaphylaxis due to the inactivated polio vaccine

SNOMED 471321000124106

MMR vaccine or history of measles, mumps or rubella

Number of doses: 1 Special circumstances

- Must be administered on or between a child's first and second birthdays
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using the hybrid specifications

CPT®/CPT II	90707, 90710	
CVX codes	03, 94	
Anaphylaxis due to the measles, mumps and rubella vaccine on or before the child's second birthday		
SNOMED	471331000124109	
History of measles		
ICD-10 Diagnosis	B05.0, B05.1, B05.2, B05.3, B05.4, B05.81, B05.89, B05.9	
SNOMED	14189004, 28463004, 38921001, 60013002, 74918002, 111873003, 161419000, 186561002, 186562009, 195900001, 240483006, 240484000, 359686005, 371111005, 406592004, 417145006, 424306000, 105841000119101	



History of Mumps	
ICD-10 Diagnosis	B26.0, B26.1, B26.2, B26.3, B26.81, B26.82, B26.83, B26.84, B26.85, B26.89, B26.9
SNOMED	10665004, 17121006, 31524007, 31646008, 36989005, 40099009, 44201003, 63462008, 72071001, 74717002, 75548002, 78580004, 89231008, 89764009, 111870000, 161420006, 235123001, 236771002, 237443002, 240526004, 240527008, 240529006, 371112003, 1163539003, 105821000119107
History of rubella	
ICD-10 Diagnosis	B06.00, B06.01, B06.02, B06.09, B06.81, B06.82, B06.89, B06.9
SNOMED	10082001, 13225007, 19431000, 36653000, 51490003, 64190005, 79303006, 128191000, 161421005, 165792000, 186567003, 186570004, 192689006, 231985001, 232312000, 240485004, 253227001, 406112006, 406113001, 1092361000119109, 10759761000119100

PCV Vaccine Number of doses: 4 Special Circumstances

- Do not count dose administered from birth through 42 days.
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using the hybrid specifications.

CPT®/CPT II	90670, 90671, 90677
CVX codes	109, 133, 152, 215, 216
HCPCS	G0009
SNOMED	12866006, 394678003, 871833000, 1119366009, 1119368005, 1296904008, 434751000124102

Anaphylaxis due to the pneumococcal conjugate vaccine

SNOMED 471141000124102



Rotavirus vaccine

Number of doses: 2 or 3 (depending on vaccine manufacturer) Special circumstances

- Do not count dose administered from birth through 42 days
- Can combine at least 1 dose of the 2-dose vaccine and at least 2 doses of the 3-dose vaccine
- If applicable, anaphylaxis due to vaccine and the date it occurred must be documented in the medical record to count toward the numerator using the hybrid specifications

CPT®/CPT II	Rotavirus 2 dose: 90681, Rotavirus 3 dose: 90680	
CVX codes	Rotavirus 2 dose: 119, Rotavirus 3 dose: 116, 122	
SNOMED	Rotavirus 2 does: 434741000124104, Rotavirus 3 dose: 434731000124109	

Anaphylaxis due to the rotavirus vaccine

SNOMED 428331000124103

VZV vaccine or history of varicella zoster

Number of doses: 1
Special circumstances

· Must be administered on or between a child's first and second birthdays

CPT®/CPT II	90710, 90716
CVX codes	21, 94
SNOMED	425897001, 428502009, 432636005, 433733003, 737081007, 871898007 871899004, 871909005, 572511000119105

Anaphylaxis due to the varicella vaccine on or before the child's second birthday

SNOMED 471341000124104

History of Varicella Zoster

ICD-10 Diagnosis

B01.0, B01.11, B01.12, B01.2, B01.81, B01.89, B01.9, B02.0, B02.1, B02.21, B02.22, B02.23, B02.24, B02.29, B02.30, B02.31, B02.32, B02.33, B02.34, B02.39, B02.7, B02.8, B02.9



History of varicella zoster

SNOMED

4740000, 10698009, 21954000, 23737006, 24059009, 31920006, 36292003, 38907003, 42448002, 49183009, 55560002, 87513003, 111859007, 111861003, 161423008, 186524006, 195911009, 230176008, 230198004, 230262004, 230536009, 232400003, 235059009, 240468001, 240470005, 240471009, 240472002. 240473007. 240474001. 309465005. 371113008. 397573005. 400020001, 402897003, 402898008, 402899000, 410500004, 410509003, 421029004, 422127002, 422446008, 422471006, 422666006, 423333008, 423628002, 424353002, 424435009, 424801004, 424941009, 425356002, 426570007, 428633000, 713250002, 713733003, 713964006, 715223009, 723109003, 838357005, 1163465001, 1163483009, 1179456002, 12551000132107, 12561000132105, 12571000132104, 98541000119101, 331071000119101, 681221000119108, 1087131000119100, 15678761000119100, 15678801000119100, 15678841000119100, 15680201000119100, 15680241000119100, 15681321000119100, 15681401000119100, 15685081000119100, 15685121000119100, 15685161000119100, 15936581000119100, 15936621000119100, 15989271000119100, 15989311000119100, 15989351000119100, 15991711000119100, 15991751000119100, 15991791000119100, 15992351000119100, 16000751000119100, 16000791000119100, 16000831000119100

Required exclusion(s)

Exclusion	Time frame
Members in hospice or using hospice servicesMembers who died	Any time during the measurement year
 Members who have had a contraindication to a childhood vaccine Members who have had organ and bone marrow transplants 	Any time on or before a member's second birthday





Important notes

A member's medical record must include:

- A note with the name of the specific antigen and the date the vaccine was administered
- An immunization record from an authorized health care provider or agency – for example, a registry – including the name of the specific antigen and the date the vaccine was administered

Documentation that a member is up-to-date with all immunizations, but doesn't include a list of the immunizations and dates they were administered, will **not** meet compliance.

Documentation of physician orders, CPT codes or billing charges will **not** meet compliance.

For Hep A, Hep B, MMR or VZV, documented history of the illness counts as numerator compliance events – but they must occur on or before a child's second birthday.

For all 10 antigens documented history of anaphylaxis due to the vaccine counts as numerator compliance.

Documentation that a vaccine was given at birth or in the hospital will count as numerator compliance for any vaccines that don't have minimum age specifications.

Medical record detail including, but not limited to

- · History and physical
- Immunization record
- Lab results
- · Problem list with illnesses dated
- Progress notes



Tips and best practices to help close this care opportunity:

- Please check your Patient Care Opportunity Report (PCOR) or Practice Assist often to see members with open care opportunities.
 If you have questions, your UnitedHealthcare representative can help.
- When documenting the rotavirus vaccine, always include RotarixR or 2-dose, or RotaTeqR or 3-dose with the date of administration
 - If medical record documentation doesn't indicate whether the 2-dose schedule or 3-dose schedule was used, it's assumed that the 3-dose regimen was used but only recorded for 2 dates. The vaccinations will then not count for HEDIS.
- Annual influenza vaccinations, 2 vaccines between ages 6 months and 2 years, are an important part of the recommended childhood vaccination series
 - Consider using standing orders, protocols and resources from **immunize.org**
- Please record hep B vaccinations given at the hospital in the child's medical record
- Parental refusal of vaccinations will **not** remove an eligible member from the denominator
- When possible, please review vaccine status with parents and give immunizations at visits other than only well-child appointments
 - Consider offering online appointment scheduling
 - Help ensure safety by dedicating specific rooms for child immunizations only
 - Offer options such as extended hours in the evening, weekend appointments, walkin vaccination clinics or block scheduling for families to help accommodate working parents/caregivers and school hours to alleviate

- the burden of managing multiple appointments and competing time commitments
- Consider setting up a drive-up immunization site
- Schedule appointments for your patient's next vaccination before they leave your office
 - Remind parents of the importance of keeping immunizations on track
 - Use phone calls, emails, texts or postcards/ letters to help keep parents engaged
 - Partner with your UnitedHealthcare representative to see if there are options to assist those families who frequently have to cancel due to transportation issues or other barriers to care, social determinants of health, etc.
- If applicable, please consider participating in your state's immunization registry
- Consider creating a flag in your electronic medical record to track children who are due for immunizations:
 - Data analysis has shown that delays in well-child visits tend to push required immunizations beyond age 2. Targeted outreach could be done to these groups of children to ensure they receive the required number of vaccines by age 2:
 - Missing only 1 influenza, DtaP or PCV vaccine and have enough time to complete those before their second birthday
 - > 6 months old with no history of an influenza vaccine
 - ->18 months old and missing 1 DtaP, PCV or both



If parents have questions about immunizations, information is available at **Vaccinate with Confidence | CDC** or your state's public health department website. The American Academy of Pediatrics immunization schedule can be found at **aap.org.**

• Immunizations can be accepted as supplemental data, reducing the need for some chart review. Please contact your UnitedHealthcare representative to discuss clinical data exchange opportunities.

